JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 368 (1989)

AUTHOR INDEX

Aime, S., (368) 331
Alt, H.G., (368) C15
Anderson, G.K., (368) 385
Annby, U., (368) 295
Antsishkina, A.S., (368) 303
Arcadi, A., (368) 249
Arce, A.J., (368) 119
Azevedo. C.G. De, (368) 57

Babin, V.N., (368) 223
Baghurst, D.R., (368) C43
Ball, R.G., (368) 231
Baryshok, V.P., (368) 155
Beck, G., (368) 23
Beck, W., (368) 77
Becker, B., (368) C25
Beckhaus, R., (368) 315
Belt, H.-J., (368) 167
Bernocchi, E., (368) 249
Biltueva, I.S., (368) 163
Boeyens, J.C.A., (368) 339
Borisova, L., (368) 19
Botta, M., (368) 331
Braunstein, P., (368) C5
Bravo-Zhivotovskii, D.A., (368) 163
Brune, H.-A., (368) 213
Brunet, J.J., (368) 209

Cacchi, S., (368) 249
Carlton, L., (368) 339
Carmen Ramirez-de Arellano, M. del, (368) 263
Carreno, R.M., (368) 263
Cheng, C.-C., (368) 323
Cheng, M.-C., (368) C38
Chicote, M.T., (368) 263
Chollet, J.F., (368) 1
Choukroun, R., (368) C11
Chow, T.J., (368) 323
Christou, V., (368) 391
Clerk, M.D., (368) C33
Corriu, R.J.P., (368) C25
Coville, N.J., (368) 339
Czarkie, D., (368) 357

De Azevedo, C.G., (368) 57
De Jésus, E., (368) C5
De Sanctis, Y., (368) 119
Deeming, A.J., (368) 119
Del Carmen Ramirez-de-Arellano, M., (368) 263
Denner, C.E., (368) C15
Dias, A.R., (368) 57
Du Toit, J., (368) 339

Ebata, K., (368) C1
Ellert, O.G., (368) 185
Eremenko, I.L., (368) 185

Faller, J.W., (368) 45
Fehlhammer, W.P., (368) 23
Fischer, H., (368) 193
Frenkel, A.S., (368) 303
Fryzuk, M.D., (368) 231

Garnovsky, A.D., (368) 303
Genizi, E., (368) 351
Gervais, D., (368) C11
Gevorgyan, V., (368) 19
Goldschmidt, Z., (368) 351
Gottlieb, H.E., (368) 351
Gowik, P., (368) 35
Gronowitz, S., (368) 295
Gudat, D., (368) C29
Guérin, C., (368) C25

Hallberg, A., (368) 295
Hardcastle, K.I., (368) 119
Harris, R.K., (368) 31
Hawkes, G.E., (368) 331
Hencsei, P., (368) 155
Henner, B., (368) C25
Herberhold, M., (368) 111
Herndon, J.W., (368) 83
Hill, A.F., (368) 111
Hiller, W., (368) 139
Hitchcock, P.B., (368) C29
Huang, Q., (368) 277
Huber, F., (368) 31

Ishihara, A., (368) 199

Jafarov, G.M., (368) 223
Jenke, T., (368) 103
Jésus, E. De, (368) C5
Jungklaus, H., (368) 193

Kabuto, C., (368) C1
Kalikhman, I.D., (368) 163
Kindela, F.B., (368) 209
Klapötke, T., (368) 35
Kneuper, H.-J., (368) 269
Koike, M., (368) 269
Konstantinovsky, L.E., (368) 303
Kovacs, I., (368) 155

Langenbahn, M., (368) 103
Layh, M., (368) 139
Lazareva, N.F., (368) 155
Lemenovskii, D.A., (368) 287
Levendis, D.C., (368) 339
Lian, L.-Y., (368) 331
Lis, T., (368) 257
Liu, S.-T., (368) C38
Loonat, M.S., (368) 339
Lukevics, E., (368) 19
Lyatifov, I.R., (368) 223

Ma, Y., (368) 45
MacNeil, P.A., (368) 231
Magomedov, G.K.-I., (368) 303
Marinelli, F., (368) 249
Martins, A.M., (368) 57
Massey, R.L., (368) 231
Mauzé, B., (368) 1
McMullen, L.A., (368) 83
Meidine, M.F., (368) C29
Miginiac, L., (368) 1
Minassian, H., (368) 119
Mingos, D.M.P., (368) C43
Mitchell, T.N., (368) 167
Mitsudo, T.-A., (368) 199
Mustafa, M.O., (368) 257

Nagl, A., (368) 367
Naito, H., (368) C1
Nameki, H., (368) C1
Naumann, D., (368) 131
Nefedov, S.E., (368) 185
Neibecker, D., (368) 209
Niecke, E., (368) C29
Nifant'ev, I.E., (368) 287
Nivorozhkin, A.L., (368) 303
Nixon, J.F., (368) C29

Orazsakhatov, B., (368) 185
Ortar, G., (368) 249

Pasynskii, A.A., (368) 185
Peng, S.-M., (368) C38
Petrovskii, P.V., (368) 223
Pickl, W., (368) 339
Ponomaryev, V.I., (368) 287
Porai-Koshits, M.A., (368) 303
Powell, A.K., (368) 269
Puff, H., (368) 173

Qian, Y., (368) 277

Reuter, H., (368) 173
Richmond, M.G., (368) 367
Riffaï, C.-E., (368) C11
Romao, C.C., (368) 57

Sakurai, H., (368) C1
Sales, K.D., (368) 331
Sanctis, Y. De, (368) 119
Saraev, V.V., (368) 155
Saxena, A.K., (368) 31
Schacht, H.-T., (368) 269
Schmid, J., (368) 193
Schulman, C.L., (368) 367
Sebald, A., (368) 31
Sekiguchi, A., (368) C1
Shapley, J.R., (368) 269
Shevchenko, S.G., (368) 163
Shvo, Y., (368) 357
Sihler, R., (368) 213
Sobota, P., (368) 257
Steil, P., (368) 77
Steiner, D., (368) 67
Stone, F.G.A., (368) 77
Struchkov, Yu.T., (368) 185
Sturge, K.C., (368) C33
Sünkel, K., (368) 67
Süss-Fink, G., (368) 103

Tang, Y., (368) 277
Thiele, K.-H., (368) 315
Tiripicchio, A., (368) C5
Tiripicchio Camellini, M., (368) C5
Toit, J. du, (368) 339
Tyrra, W., (368) 131

Uhl, W., (368) 139
Uraev, A.I., (368) 303
Urazowski, I.F., (368) 287
Utko, J., (368) 257

Vahrenkamp, H., (368) 269
Vakulskaya, T.I., (368) 155
Vicente, J., (368) 263
Vitkovskii, V.Yu., (368) 163
Voronkov, M.G., (368) 155, 163
Vyazankin, N.S., (368) 163

Wang, Q., (368) C25
Wang, H., (368) C29
Watanabe, Y., (368) 199
Watson, M.J., (368) C43
Watson, W.H., (368) 367
Werz, U., (368) 213
White, P.S., (368) C33
Wiberg, N., (368) 23

Yanovsky, A.I., (368) 185
Young, G.B., (368) 391

Zagorevsky, D.V., (368) 185, 223
Zaworotko, M.J., (368) C33
Zinner, G., (368) 23

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 368 (1989)

SUBJECT INDEX

Aluminium

$[AlCl_3(C_6H_5COOC_2H_5)]$, crystal structure and properties of (P. Sobota, M.O. Mustafa, J. Utko, T. Lis), (368) 257

Trimethylaluminum mediated halomethylation of $[(arene)_2Fe]^{2+}$ cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

Antimony

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

Arsenic

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

Cadmium

Trifluoromethyl cadmates: formation and ^{19}F and ^{113}Cd NMR spectroscopic investigations of (D. Naumann, W. Tyrra), (368) 131

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Chromium

$Cp_2^{\star}Zr\overline{CH=CHC}(\overline{O})=M(CO)_5$ (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83

Metallotetrahedral clusters $(MeC_5H_4)_4Cr_4(\mu_3\text{-}E)_4$ (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4\overline{Mn(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Cobalt

Bis(dimethylphosphino)ethane, reactions with $Co_4(CO)_{10}(\mu_4\text{-}PPh)_2$ of; synthesis, structure, and solution dynamics of $Co_4(CO)_8(\mu_4\text{-}PPh)_2$(dmpe) (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367

$Me_nCpM(CO)_2$ (M = CO, Rh) analogs, ^1H, ^{13}C, ^{17}O NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223

0022-328X/88/$03.50 © 1988 Elsevier Sequoia S.A.

Copper

$(C_5Cl_4R)Mn(CO)_3$ and $(C_5Cl_4R)Rh(COD)$ derivatives, preparation of; crystal structure of $(C_5Cl_4CONH_2)Mn(CO)_3$ (K. Sünkel, D. Steiner), (368) 67

Germanium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

4,8-Dichloroocta-t-butyltetracyclo[3.3.0.0^{2,7}.0^{3,6}]octagermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1

Si–C and Ge–C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19

Hafnium

Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287

Indium

Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139

Iridium

Bis(hydrocarbyl)iridium(III) five-coordinate complexes, $Ir(R)R'[N(Si(Me_2CH_2PPh_2)_2]$, synthesis and structure of (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231

Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43

Iron

(Alkyne)carbonyliron compound, solid state ^{13}C CP-MAS NMR spectra (A. Aime, M. Botta, G.E. Hawkes, K.D. Sales, L.-Y. Lian), (368) 331

$[(\eta^5\text{-}C_5H_4R)Fe(CO)(PPh_3)I]$ (R = $CHPh_2$, I, $CH(CH_3)_2$), NMR and X-ray structure of (J. du Toit, D.C. Levendis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339

Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213

$(\mu\text{-}H)_2Os_3(CO)_9(\mu_3\text{-}Te)$, synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269

Metal carbenes and metal carbonyls, metathesis and reduction reactions of nitroso compounds with (J.W. Herndon, L.A. McMullen), (368) 83

Pericyclic organometallic reactions, mechanism of; competitive [4,4]-sigmahaptotropic rearrangement versus metal–hydride shift (Z. Goldschmidt, E. Genizi, H.E. Gottlieb), (368) 351

$(Ph_3P)_2Fe(CO)_3$, expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209

Trimethylaluminum mediated halomethylation of $[(arene)_2Fe]^{2+}$ cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

Undecacarbonyltriferrate reactions, with α,β-unsaturated acyl halides; decomposition of $[\mu_3\text{-}RCH{=}CHCOOCFe_3(CO)_{10}]^-$ to $[\eta^2\text{-}RCH{=}CHFe_2(CO)_7]$ (A. Ishihara, T.-A. Mitsudo, Y. Watanabe), (368) 199

Lithium

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

Manganese

$(C_5Cl_4R)Mn(CO)_3$ and $(C_5Cl_4R)Rh(COD)$ derivatives, preparation of; crystal structure of $(C_5Cl_4CONH_2)Mn(CO)_3$ (K. Sünkel, D. Steiner), (368) 67

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4\overline{Mn(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

Mercury

Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Metallocenes

4,8-Dichloroocta-t-butyltetracyclo[3.3.0.0^{2,7}.0^{3,6}]octagermane, preparation and structure of (A. Sekiguchi, H. Naito, H. Nameki, K. Ebata, C. Kabuto, H. Sakurai), (368) C1

Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213

Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287

Trimethylaluminum mediated halomethylation of $[(arene)_2Fe]^{2+}$ cations (M.D. Clerk, K.C. Sturge, M.J. Zaworotko, P.S. White), (368) C33

Molybdenum

$Cp^*_2\overset{\overset{O}{\frown}}{Zr}CH=CHC=M(CO)_5$ (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

$[M(\eta^5\text{-}C_5H_5)_2HX]$ (M = Mo, W; X = Cl, Br, I), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57

(Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxo derivatives of (J.W. Faller, Y. Ma), (368) 45

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4Mn\overline{(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323

Nickel

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Niobium

Organoniobium(V) perfluoroborate, arsenate and antimonate complexes, formation and characterisation of (P. Gowik, T. Klapötke), (368) 35

Osmium

$(\mu\text{-}H)_2Os_3(CO)_9(\mu_3\text{-}Te)$, synthesis, characterization, and X-ray crystal structure (H.-T. Schacht, A.K. Powell, H. Vahrenkamp, M. Koike, H.-J. Kneuper, J.R. Shapley), (368) 269

ortho-Metallation at triosmium clusters, trapping of an unstable tautomer of indole by (K.I. Hardcastle, H. Minassian, A.J. Arce, Y. De Sanctis, A.J. Deeming), (368) 119

Palladium

$[MCl_2(Ph_2PCH_2SCH_3)_2]$ (M = Pd or Pt), reactions with $[Rh_2(\mu\text{-}Cl)_2(CO)_4]$ of; preparation of $Ph_2PCH_2SCH_3$-bridged Pd–Rh complex (G.K. Anderson), (368) 385

Palladium-catalysed preparation of *exo*-aryl derivatives of the norbornane skeleton (A. Arcadi, F. Marinelli, E. Bernocchi, S. Cacchi, G. Ortar), (368) 249

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4Mn\overline{(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

Phosphorus

Bis(dimethylphosphino)ethane, reactions with $Co_4(CO)_{10}(\mu_4\text{-}PPh)_2$ of; synthesis, structure, and solution dynamics of $Co_4(CO)_8(\mu_4\text{-}PPh)_2$(dmpe) (C.L. Schulman, M.G. Richmond, W.H. Watson, A. Nagl), (368) 367

Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of $[Ph_3\overline{PCN}N\{C(PPh_3)_2N\}N][PF_6]_2$ (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23

$(C_5Cl_4R)Mn(CO)_3$ and $(C_5Cl_4R)Rh(COD)$ derivatives, preparation of; crystal structure of $(C_5Cl_4CONH_2)Mn(CO)_3$ (K. Sünkel, D. Steiner), (368) 67

$[(\eta^5\text{-}C_5H_4R)Fe(CO)(PPh_3)I]$ (R = $CHPh_2$, I, $CH(CH_3)_2$), NMR and X-ray structure of (J. du Toit, D.C. Levendis, J.C.A. Boeyens, M.S. Loonat, L. Carlton, W. Pickl, N.J. Coville), (368) 339

(*meso-cis*-2,10-Diphenyl-6-aza-*kN*-2,10-diphospha-k^2*P*-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38

Ferrocenophane derivatives containing chelated ligands, synthesis of (R. Sihler, U. Werz, H.-A. Brune), (368) 213

Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of $(C_5H_4\text{-}t\text{-}Bu)Zr(CH_2PPh_2)_2$ (R. Choukroun, D. Gervais, C.-E. Rifaï), (368) C11

η^1-Ligated halogenophosphaalkenes; crystal structures of *trans*-$[RhCl(PPh_3)_2\{\eta^1\text{-}PX{=}C(SiMe_3)_2\}]$ (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4\overline{Mn(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

$(Ph_3P)_2Fe(CO)_3$, expedient synthesis of (J.J. Brunet, F.B. Kindela, N. Neibecker), (368) 209

β-Trimethylstannyl)alkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167

Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15

Platinum

Dineopentylplatinum(II) complexes with bidentate heteroaromatic N-donor ligands, preparation of (V. Christou, G.B. Young), (368) 391

$[MCl_2(Ph_2PCH_2SCH_3)_2]$ (M = Pd or Pt), reactions with $[Rh_2(\mu\text{-}Cl)_2(CO)_4]$ of; preparation of $Ph_2PCH_2SCH_3$-bridged Pd–Rh complex (G.K. Anderson), (368) 385

Potassium

Potassium five-coordinate dihydridosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25

Rhenium

σ,π-Vinyl-bridged dirhenium complex, $[Re(CO)_5(\mu\text{-}\eta^1:\eta^2\text{-}CH{=}CH_2)Re(CO)_5]^+ BF_4^-$, formation of (P. Steil, W. Beck, F.G.A. Stone), (368) 77

Rhodium

$(C_5Cl_4R)Mn(CO)_3$ and $(C_5Cl_4R)Rh(COD)$ derivatives, preparation of; crystal structure of $(C_5Cl_4CONH_2)Mn(CO)_3$ (K. Sünkel, D. Steiner), (368) 67

(*meso-cis*-2,10-Diphenyl-6-aza-*kN*-2,10-diphospha-k^2*P*-bicyclo[9.4.0]pentadeca-11(1),12,14-triene)(bicyclo[2.2.1]heptadiene)rhodium(I) hexafluorophosphate, structure of (S.-T. Liu, M.-C. Cheng, S.-M. Peng), (368) C38

η^1-Ligated halogenophosphaalkenes; crystal structures of *trans*-$[RhCl(PPh_3)_2\{\eta^1\text{-}PX{=}C(SiMe_3)_2\}]$ (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29

$[MCl_2(Ph_2PCH_2SCH_3)_2]$ (M = Pd or Pt), reactions with $[Rh_2(\mu\text{-}Cl)_2(CO)_4]$ of; preparation of $Ph_2PCH_2SCH_3$-bridged Pd–Rh complex (G.K. Anderson), (368) 385

$Me_nCpM(CO)_2$ (M = CO, Rh) analogs, ^1H, ^{13}C, ^{17}O NMR and IR (CO-region) spectroscopic and mass-spectrometric studies of (I.R. Lyatifov, G.M. Jafarov, V.N. Babin, P.V. Petrovskii, V.D. Zagorevskii), (368) 223

Organometallic compounds, application of microwave dielectric loss heating effects for the rapid and convenient synthesis of (D.R. Baghurst, D.M.P. Mingos, M.J. Watson), (368) C43

Ruthenium

[Ru(CO)(PPh_3)$_2$(L)(OSNR)] (L = CO, CN^tBu, $CNC_6H_3Me_2$-2,6; R = C_6H_4Me-2, C_6H_4Me-4), synthesis of (M. Herberhold, A.F. Hill), (368) 111

Ruthenium cluster as catalyst for carbonylation of cyclic amines (G. Süss-Fink, M. Langenbahn, T. Jenke), (368) 103

Tricarbonyltetraphenylcyclopentadienone ruthenium(0), as catalyst in reduction of nitroaromatics with CO and H_2O (Y. Shvo, D. Czarkie), (368) 357

Selenium

(C_5Cl_4R)Mn(CO)$_3$ and (C_5Cl_4R)Rh(COD) derivatives, preparation of; crystal structure of ($C_5Cl_4CONH_2$)Mn(CO)$_3$ (K. Sünkel, D. Steiner), (368) 67

Metallotetrahedral clusters (MeC_5H_4)$_4Cr_4(\mu_3$-E)$_4$ (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Silicon

Acylgermanes, reaction with triethylgermyllithium of (I.S. Biltueva, D.A. Bravo-Zhivotovskii, I.D. Kalikhman, V.Yu. Vitkovskii, S.G. Shevchenko, N.S. Vyazankin, M.G. Voronkov), (368) 163

1-[*N*-(2-Aminoethyl)aminoalkyl]silatranes and their complexes with $CuCl_2$ (M.G. Voronkov, V.P. Baryshok, N.F. Lazareva, V.V. Saraev, T.I. Vakulskaya, P. Hencsei, I. Kovacs), (368) 155

Bis(hydrocarbyl)iridium(III) five-coordinate complexes, Ir(R)R′[N(Si($Me_2CH_2PPh_2$)$_2$], synthesis and structure of (M.D. Fryzuk, P.A. MacNeil, R.L. Massey, R.G. Ball), (368) 231

Bis(trimethylsilyl)isocyanamine and its isomers, reactions with chlorotriphenylphosphonium chloride of; crystal structure of [$Ph_3\overline{PCN}N${C(PPh_3)$_2$N}N][PF_6]$_2$ (G. Zinner, G. Beck, W.P. Fehlhammer, N. Wiberg), (368) 23

(C_5Cl_4R)Mn(CO)$_3$ and (C_5Cl_4R)Rh(COD) derivatives, preparation of; crystal structure of ($C_5Cl_4CONH_2$)Mn(CO)$_3$ (K. Sünkel, D. Steiner), (368) 67

η^1-Ligated halogenophosphaalkenes; crystal structures of *trans*-[RhCl(PPh_3)$_2${η^1-PX=C($SiMe_3$)$_2$}] (X = F or Cl) (P.B. Hitchcock, M.F. Meidine, J.F. Nixon, H. Wang, D. Gudat, E. Niecke), (368) C29

Potassium five-coordinate dihydridosilicates, synthesis and reactivity of (B. Becker, R.J.P. Corriu, C. Guérin, B. Henner, Q. Wang), (368) C25

Si–C and Ge–C bonds, cleavage with lithium aluminium hydride of (V. Gevorgyan, L. Borisova, E. Lukevics), (368) 19

Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139

2-Trimethylsilylnorbornadiene reaction with hexacarbonylmolybdenum of (T.J. Chow, C.-C. Cheng), (368) 323

Sulphur

1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with $Cp_2Zr(H)Cl$ of (U. Annby, S. Gronowitz, A. Hallberg), (368) 295

[$MCl_2(Ph_2PCH_2SCH_3)_2$] (M = Pd or Pt), reactions with [$Rh_2(\mu$-Cl)$_2$(CO)$_4$] of; preparation of $Ph_2PCH_2SCH_3$-bridged Pd–Rh complex (G.K. Anderson), (368) 385

Metallotetrahedral clusters (MeC_5H_4)$_4Cr_4(\mu_3$-E)$_4$ (E = O, S, Se), influence of bridging ligands on geometry and magnetic properties of (I.L. Eremenko, S.E. Nefedov, A.A. Pasynskii, B. Orazsakhatov, O.G. Ellert, Yu.T. Struchkov, A.I. Yanovsky, D.V. Zagorevsky), (368) 185

[Ru(CO)(PPh_3)$_2$(L)(OSNR)] (L = CO, CN^tBu, $CNC_6H_3Me_2$-2,6; R = C_6H_4Me-2, C_6H_4Me-4), synthesis of (M. Herberhold, A.F. Hill), (368) 111

Tin

(C_5Cl_4R)Mn(CO)$_3$ and (C_5Cl_4R)Rh(COD) derivatives, preparation of; crystal structure of ($C_5Cl_4CONH_2$)Mn(CO)$_3$ (K. Sünkel, D. Steiner), (368) 67

Isopropyltin oxide-hydroxide chloride, $(i\text{-PrSn})_9O_8(OH)_6Cl_5 \cdot 6DMSO$, synthesis and crystal structure of (H. Puff, H. Reuter), (368) 173

Mono- and di-aryltin(IV) complexes containing 2-(phenylazo)phenyl, synthesis by use of organomercury compounds of (J. Vicente, M.T. Chicote, R.M. Carreño, M.C. Ramirez-de-Arellano), (368) 263

Organotin compounds, solid state ^{119}Sn NMR of (F. Huber, A.K. Saxena, R.K. Harris, A. Sebald), (368) 31

Tetrakis[bis(trimethylsilyl)methyl]diindane(4) with In–In bond, formation and structure of (W. Uhl, M. Layh, W. Hiller), (368) 139

β-Trimethylstannyl)alkyldiphenylphosphines, preparation of (T.N. Mitchell, H.-J. Belt), (368) 167

Titanium

Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of $[R\text{-}CH_3OCH_2CH(CH_3)Cp]_2MCl_2$ (M = Ti, Zr) (Q. Huang, Y. Qian, Y. Tang), (368) 277

Tungsten

$Cp^*_2Zr\overset{\overset{O}{|}}{CH=CH}C=M(CO)_5$ (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

$[M(\eta^5\text{-}C_5H_5)_2HX]$ (M = Mo, W; X = Cl, Br, I), reactivity of (C.G. de Azevedo, A.R. Dias, A.M. Martins, C.C. Romao), (368) 57

Neutral carbene complexes, $(CO)_5W{=}C(aryl)H$, intermolecular coupling of CO and the carbene ligand in (H. Fischer, H. Jungklaus, J. Schmid), (368) 193

(Pentamethylcyclopentadienyl)-molybdenum and -tungsten, reactions and properties of oxo and peroxo derivatives of (J.W. Faller, Y. Ma), (368) 45

Phosphido-bridged heterodinuclear complexes of CrPd, MoPd, WPd, and MnPd; X-ray crystal structures of $[Cp(CO)_2\overline{Mo(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ and $[(CO)_4\overline{Mn(\mu\text{-}PCy_2)Pd}(PCy_2H)_2]$ (Cy = c-C_6H_{11}) (P. Braunstein, E. De Jésus, A. Tiripicchio, M. Tiripicchio Camellini), (368) C5

Zinc

Organo-zinc and -aluminium compounds, 1-aryl-2-triazolyl-1-ethanols, regioselective synthesis from (J.F. Chollet, B. Mauzé, L. Miginiac), (368) 1

Tri-nuclear 5-thio(seleno)pyrazolealdiminato bis-chelates containing an η^6-arenechromium tricarbonyl moiety, synthesis of (A.I. Uraev, A.L. Nivorozhkin, A.S. Frenkel, A.S. Antsishkina, M.A. Porai-Koshits, L.E. Konstantinovsky, G.K.-I. Magomedov, A.D. Garnovsky), (368) 303

Zirconium

$Cp^*_2Zr\overset{\overset{O}{|}}{CH=CH}C=M(CO)_5$ (M = Cr, Mo, W) Fischer carbene complexes, preparation from bis(pentamethylcyclopentadienyl)zirconium divinyl of (R. Beckhaus, K.-H. Thiele), (368) 315

Cyclopentadienyl-titanium and -zirconium chiral complexes, synthesis of; crystal structures of $[R\text{-}CH_3OCH_2CH(CH_3)Cp]_2MCl_2$ (M = Ti, Zr) (Q. Huang, Y. Qian, Y. Tang), (368) 277

1-(1-Hexenyl)-2-thiomethylbenzene, aromatic olefin, reaction with $Cp_2Zr(H)Cl$ of (U. Annby, S. Gronowitz, A. Hallberg), (368) 295

Hydridodiphenylphosphinomethylzirconium(III) species, formation by reduction of $(C_5H_4\text{-}t\text{-}Bu)Zr(CH_2PPh_2)_2$ (R. Choukroun, D. Gervais, C.-E. Rifaï), (368) C11

Mononuclear zirconium trivalent organometallic Zr and H metallocenes, structure of (I.F. Urazowski, V.I. Ponomaryev, I.E. Nifant'ev, D.A. Lemenovskii), (368) 287

Zirconacyclopentene and alkoxy ethyl complexes, formation of (H.G. Alt, C.E. Denner), (368) C15

Book reviews

Advances in boron and the boranes; edited by J.F. Liebman, A. Greenberg and R.E. Williams (M.F. Lappert), (368) C19

Metal–ligand multiple bonds; by W.A. Nugent and J.M. Mayer (P.A. Chaloner), (368) C20

Methods for the oxidation of organic compounds; by A.H. Haines (P.A. Chaloner), (368) C18

Organometallic chemistry reviews; edited by A.G. Davies, E.O. Fischer and O.A. Reutov (M.F. Lappert), (368) C22

Principles of organometallic chemistry; by P. Powell (P.A. Chaloner), (368) C21
Spectroscopic properties of inorganic and organometallic compounds, Vol. 21; edited by G. Davidson and E.A.V. Ebsworth (M.F. Lappert), (368) C22
Strategies and tactics in organic synthesis, Vol. 2; edited by T. Lindberg (J.R. Hanson), (368) C47
Surface organometallic chemistry: molecular approaches to surface catalysis; edited by J.-M. Basset et al. (P.A. Chaloner), (368) C46